

**AMENDMENTS TO THE CLAIMS**

**Listing of claims:**

1. (Currently Amended)      A system comprising:  
    a first busbar;  
    a second busbar; and  
    a low-voltage power circuit breaker including A low voltage power circuit breaker,  
~~comprising:~~ a first contact arrangement for connecting a stationary contact to ~~a the~~ the first busbar;  
and a second contact arrangement for connecting an opposing contact, arranged on a contact lever, to ~~a the~~ the second busbar,  
    each of the first and second busbars including at least one contact region by which the  
busbars are permanently arrangeable on a withdrawable part rack of the low-voltage power  
circuit breaker, each of the first and second busbars having a side which faces the low-voltage  
power circuit breaker, by which the busbars are permanently arrangeable on the outside of the  
low-voltage power circuit breaker, and  
    each of the first and second the busbars including at least one accommodating region for  
at least one retaining device by which the busbars are permanently ~~arrangeable~~ lockable on the  
withdrawable part rack of the low-voltage power circuit breaker so as to form the low-voltage  
power circuit breaker as a withdrawable circuit breaker or on the outside of the low-voltage  
power circuit breaker so as to form the low-voltage power circuit breaker as a permanently  
installed circuit breaker; ~~and the busbars including at least one contact region by which the~~  
~~busbars are permanently arrangeable on a withdrawable part rack of the low voltage power~~  
~~circuit breaker so as to form the low voltage power circuit breaker as a withdrawable circuit~~  
~~breaker.~~
2. (Currently Amended)      ~~The system low-voltage power circuit breaker as claimed in claim~~  
1, wherein the accommodating region for the at least one retaining device ~~is and the side which~~  
faces the low-voltage power circuit breaks are designed such that the busbars are permanently  
arrangeable and lockable, reversibly, on the outside of the low-voltage power circuit breaker.

3. (Currently Amended) The system ~~low-voltage power circuit breaker~~ as claimed in claim 1, wherein the accommodating region for the at least one retaining device and contact region ~~is~~are designed such that the busbars are permanently arrangeable and lockable, reversibly, on the withdrawable part rack of the low-voltage power circuit breaker.

4. (Currently Amended) The system ~~low-voltage power circuit breaker~~ as claimed in claim 1, wherein the first busbar and the second busbar have identical dimensions.

5. (Currently Amended) The system ~~low-voltage power circuit breaker~~ as claimed in claim 1, wherein the busbars are arrangeable on the withdrawable part rack when the low-voltage power circuit breaker is ~~in the form of~~ a withdrawable circuit breaker such that they have a ~~the~~ same installation depth as the busbars when the low-voltage power circuit breaker is ~~in the form of~~ a permanently installed circuit breaker.

6. (Currently Amended) The system ~~low-voltage power circuit breaker~~ as claimed in claim 1, wherein the busbars are in a ~~the~~ form of at least one of plates and blades.

7. (Cancelled)

8. (Cancelled)

9. (Currently Amended) The system ~~low-voltage power circuit breaker~~ as claimed in claim 2, wherein the accommodating region for the at least one retaining device and the contact region is designed such that the busbars are permanently arrangeable and lockable, reversibly, on the withdrawable part rack of the ~~low-voltage~~voltage power circuit breaker.

10. (Currently Amended) The system ~~low-voltage power circuit breaker~~ as claimed in claim 2, wherein the first busbar and the second busbar have identical dimensions.

11. (Currently Amended) The system ~~low-voltage power circuit breaker~~ as claimed in claim 3, wherein the first busbar and the second busbar have identical dimensions.

12. (Currently Amended) The system~~low-voltage power circuit breaker~~ as claimed in claim 9, wherein the first busbar and the second busbar have identical dimensions.

13. (Currently Amended) The system~~low-voltage power circuit breaker~~ as claimed in claim 2, wherein the busbars are arrangeable on the withdrawable part rack when the low-voltage power circuit breaker is ~~in the form of~~ a withdrawable circuit breaker such that they have the same installation depth as the busbars when the low-voltage power circuit breaker is ~~in the form of~~ a permanently installed circuit breaker.

14. (Currently Amended) The system~~low-voltage power circuit breaker~~ as claimed in claim 3, wherein the busbars are arrangeable on the withdrawable part rack when the low-voltage power circuit breaker is ~~in the form of~~ a withdrawable circuit breaker such that they have the same installation depth as the busbars when the low-voltage power circuit breaker is ~~in the form of~~ a permanently installed circuit breaker.

15. (Currently Amended) The system~~low-voltage power circuit breaker~~ as claimed in claim 4, wherein the busbars are arrangeable on the withdrawable part rack when the low-voltage power circuit breaker is ~~in the form of~~ a withdrawable circuit breaker such that they have the same installation depth as the busbars when the low-voltage power circuit breaker is ~~in the form of~~ a permanently installed circuit breaker.

16. (Currently Amended) The system~~low-voltage power circuit breaker~~ as claimed in claim 2, wherein the busbars are in a ~~the~~ form of at least one of plates and blades.

17. (Currently Amended) The system~~low-voltage power circuit breaker~~ as claimed in claim 3, wherein the busbars are in a ~~the~~ form of at least one of plates and blades.

18. (Currently Amended) The system~~low-voltage power circuit breaker~~ as claimed in claim 4, wherein the busbars are in a ~~the~~ form of at least one of plates and blades.

19. (Currently Amended) The system~~low-voltage power circuit breaker~~ as claimed in claim 5, wherein the busbars are in a ~~the~~ form of at least one of plates and blades.

**AMENDMENTS TO THE DRAWINGS:**

The attached four sheets of drawings include changes to Figures 1-4. The sheets, which includes Figures 1-4, replaces the original sheet including Figures 1-4.

Attachment: Four (4) Replacement Drawing Sheets